÷,

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 4	DATE Augus	7-9,2016	
Formal notice is hereby given that address is <u>3774</u> <u>Chipm</u> <u>driveway culvert</u> within the ROW construction will begin, if approved I, <u>Chaple</u> <u>Competit</u> forth in this application and unders by County equipment and personne	Gayle Camp unk of County Road Chy d, on or after the 31 ⁵⁴ , hereby attest tand its contents. The co	<u>bell</u> , whose pridoes hereby purpose to pla <u>omente</u> . P lay of <u>August</u> that I have read the condition ilvert <u>will</u> will not	ace a Proposed , 20 lons set
SIGNATURE: TELEPHONE: 903-767	2-2222		
	VAL OF PERMIT APP	LICATION	
The Upshur County-Commissioners your proposed <u>driveway culvert</u> for will be a 15 "x 24" culvert.		n to the location on the rig	th of way of
Recommended by		Sta	
Hall in the second s	ing car		
APPROVED ON THIS D	AY OF	<u> </u>	
<u></u>		•	
1910年1月1日日日日日日日日日 1918年1月1日日日日日日日 1918年日月1日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日	,		
		B Y	-T rn 2016 Al
· · ·			
	ж	S	HAR ANNA
	× •	DEPUTY	-TERRI ROSS AUG-15 AM 10: 39
	з .	DEPUTY	-FILED ERRI ROSS UNTY CLERK JG-15 AM 10: 39

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 4

DATE May 25, 2016

Formal notice is hereby given that <u>Dennis or Darlene Gibson</u>, whose principal address is <u>2736</u> <u>Weasel</u>, does hereby purpose to place a <u>driveway culvert</u> within the ROW of County Road <u>Weasel</u>. Proposed construction will begin, if approved, on or after the <u>31st</u> day of <u>May</u>, 20<u>1</u>, <u>I</u>, <u>Darlene Gibson</u>, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert <u>will</u> will not be placed by County equipment and personnel. This is a <u>new installation</u> extension.

SIGNATURE TELEPHONE:903-762-1933 or 903-736-4762

習取し、

APPROVAL OF PERMIT APPLICATION

The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed <u>driveway culvert</u> for the address shown above. The proposed driveway structure will be a <u>"x '</u> culvert. Recommended by <u>DAY OF</u>, 20_____

The US · · · · जेंद की Sec. 1. •• : : : : 1. . . . $A \in \mathbb{C}^{n}$ AM 10: ين ص

.

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 1 DATE May 25, 2016

Formal notice is hereby giv Link, does hereby purpose of Link. Proposed constructio <u>Tommy Goforth</u> , hereby att understand its contents. Th personnel. This is a <u>new</u> (C: 11) SIGNATURE: <u>Issuery</u> TELEPHONE:903-424-658 PRECOM	to place a <u>drive</u> n will begin, if est that I have e culvert <u>v</u> w v installation _	way culvent wi approved, on a read the condit vill/ will no will no President	thin the ROW of or after the <u>31</u> day ions set forth in the t be placed by Co	County Road <u>Bob O</u> of <u>May</u> , 20 <u>16</u> I, his application and	1C
The Upshur County Commis	sioners Court o	offers no object	tion to the location	n on the right of way of	
your proposed driveway culy will be a "x 'cul	<u>vert</u> for the addi lvert.	ress shown abo	ve. The proposed	driveway strücture	
	/		:		
and the second s			:	这次的新闻。	
Recommended by			·•		
1977 V.		•			
APPROVED ON THIS	DAY OF			·	
را الشويديو			. <i>.</i>		
Frank Const.				San mining way of	
and the second			:	计中华 化中华 使将	
-1-1					
			:	ВY	
la service ser				JPSI	ੇ 2-1
					- E E E E E E E E E E E E E E E E E E E
				7 22	
				DEF NT AM	-2 <u>6</u> -
. •					n N N
<i>1</i>				10: 39 7. TX	
3 p. 15			•		
•			•	• •	
			-		
			•	•	
			·		

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 2 DATE July 11, 2016

Formal notice is hereby given that <u>Hershel Johnson</u>, whose principal address is <u>10452 Begonia</u>, does hereby purpose to place a <u>driveway culvert</u> within the ROW of County Road <u>Begonia</u>. Proposed construction will begin, if approved, on or after the <u>31st</u> day of <u>July</u>, 20/& I, <u>Hershel</u> <u>Johnson</u>, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert χ will/___ will not be placed by County equipment and personnel. This is a χ new installation _____ extension.

SIGNATURE: TELEPHONE: 903-316-6924

APPROVAL OF PERMIT APPLICATION

The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed driveway culvert for the address shown above. The proposed driveway structure will be a \underline{x} 'culvert.

Recommended by					
APPROVED ON THIS	DAY OF		_, 20		
			•		
. č		,			
		:	* F T		
			: : :		
			:		
			:		

SPECIAL ROAD USE AGREEMENT CONTRACT

THE STATE OF TEXAS }	WNOW AT L ME	N BY THESE PRESENTS:
COUNTY OF UPSHUR }	KNOW ALL ME	
The undersigned, <u>Ivi State</u> referred to as First Party, enters into an Precinct No. <u>2</u> , Upshur County, and in use a portion of Upshur County roads to Commissioner has jurisdiction and oblig being aware of possible damage to said enter into the following agreement:	order to get material ocated in Precinct No gation to maintain in	to market it is necessary to 2, over which good repair, and both parties
0.05 and -0.05 and -1.05	1.	
First Party agrees to use only that section of <u>Smills</u> <u>Masturf</u> The main states First Party agrees to use its vehicles in so other traffic on said road, so that said ro	<u>ium off</u> 2. Such a manner as not	Hwy 259 Exercise the second se
times.		
	3	;
First Party agrees to grade, maintain and equipment, labor and materials, if any n is <u>Nauling</u> from land	eeded, during the du	
First Party agrees to put said road back i	into same condition a	as it was prior to the
commencement of hauling operations or	n the part of First Pa	ty.
7 A 154		
an and a second se	5.	м., ,
First Party agrees to POST PERFORMA County Commissioner's Court to insure	ANCE BOND in the	
	ANCE BOND in the performance of agree	
	ANCE BOND in the performance of agree 6. vaiver by the Commi but the rights and au 716, V.A.C.S., are ex	ssioner of the authority
Nothing herein shall be construed as a w granted him by Article 6716, V.A.C.S., Commissioner by the terms of Article 6	ANCE BOND in the performance of agree 6. vaiver by the Commi but the rights and au 716, V.A.C.S., are ex	ssioner of the authority thority granted the pressly reserved by the onditions above set forth of the 5
Nothing herein shall be construed as a w granted him by Article 6716, V.A.C.S., Commissioner by the terms of Article 6	ANCE BOND in the performance of agree 6. vaiver by the Commi but the rights and au 716, V.A.C.S., are ex	ssioner of the authority thority granted the pressly reserved by the onditions above set forth of the 5
Nothing herein shall be construed as a w granted him by Article 6716, V.A.C.S., Commissioner by the terms of Article 6	ANCE BOND in the performance of agree 6. vaiver by the Commi but the rights and au 716, V.A.C.S., are ex	ssioner of the authority

٠.

. •

5

First Party Signature

Street or Box

75556 BLOOMburg City, State and Zip Code

903 824-7314

Telephone

Timber Tract / Property Owner eftetty valid 7/18/16 to 10/18/16 Issued by City I

PERMIT ISSUED NOT TO EXCEED 90 DAYS UNLESS OTHERWISE NOTED

A COPY OF THIS PERMIT MUST BE IN EVERY TRUCK BEING USED

Timber - W. Press

issaea Holen of the set of <u>نې</u> **P** C C 1. TEX DE LET J AM 10: 39 ·· . UNTY. TX. • • •

SPECIAL ROAD USE AGREEMENT CONTRACT

	THE STATE OF TEXAS	}			
	COUNTY OF UPSHUR	knu }		THESE PRESENTS:	
ŀi∙ .	The undersigned, HQA referred to as First Party, e Precinct No. 3, Upshur Co use a portion of Upshur Co Commissioner has jurisdic being aware of possible dar enter into the following ag	ounty, and in order to unty roads located in tion and obligation to mage to said roads as	nt with Upshur Cou get material to man Precinct No. 3. ov maintain in good r	ket it is necessary to ver which epair, and both parties	
	THE STREET	1.	;		
·∵	First Party agrees to use only	that section of (describe Persimmon	ed exact route, direct OFF HWY	ion and miles in tenths) 153	-
	e densi 🛛 Elec	2.			
	First Party agrees to use its other traffic on said road, s	vehicles in such a ma	nner as not to bloc e open to travel by	k or interfere with the public at all	
	times.	1947 - M	į, ·	•	
		3.	<u>*</u>		
۰.	First Party agrees to grade, equipment, labor and mater is <u>Mulling</u> 1095	ials, if any needed, du	uring the duration of		,
	·····	4.	: 		
	First Party agrees to put sai commencement of hauling	d road back into same operations on the part	e condition as it wa t of First Party.	s prior to the	м., м.,
	• • • •	5.	. : :		
	First Party agrees to POST County Commissioner's Co	PERFORMANCE Be ourt to insure perform	OND in the amount ance of agreement.	t of \$-0-, to Upshur	
	:	. 6.	: :	֥	
	Nothing herein shall be con granted him by Article 671 Commissioner by the terms Commissioner in the event	6 VACS but the r	abte and authority	granted the	2016 A
			:	S	CONTRACT CONTRACT
		•	· . :		
		·. ·		EPUTY	AHIO: 39
			41	l	

~

٠

t

.

rſ

First Party Signature

<u>44</u> Street or Box Leant Ro

2. mer - x-

City, State and Zip Code

403 BOI Telephone

Timber Tract/Property Owner

ller, Valid 8/2/16 to 11/2/16 Issued by

PERMIT ISSUED NOT TO EXCEED 90 DAYS UNLESS OTHERWISE NOTED ÷ .,

A COPY OF THIS PERMIT MUST BE IN EVERY TRUCK BEING USED

.

. . #:..

··· · · · ·

AM 10: 39

8

NOTICE OF PROPOSED INSTALLATION NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

DATE 7/22/2016

TO: UPSHUR COUNTY COMMISSIONERS COURT c/o UPSHUR COUNTY ENGINEER	EXPIRES: <u>10/22/2016</u>
UPSHUR COUNTY ROAD & BRIDGE DEPARTMENT	:
P. O. BOX 730	•
Gilmer, TX 75644	

Formal notice is hereby given that <u>ETEX TELEPHONE COOP: Inc</u> proposes to hore a <u>New Fiber Optic</u> line within the right-of-way of County Roads <u>Smith</u>, Short, Gum Creek, Willet, Todd Boles, Camp. Evergreen, Eagle as follows:

1 Smith = South Side Road <u>1,400 Feet</u> Plus Road Crossings		
2 Short = South Side Road 1.450 Feet Plus Road Crossings		
3 South Willet = West side Road 6200 Feet Plus Road Crossings	:	
4 Boles = North Side Road <u>3.087 Feet</u> Plus Road Crossings	·•	
5 Todd = South and West side Road 4.282 Feet Plus Road Crossings	•	
6 Camp = South side Road 1.000 Feet plus Road Crossings		
7 North Willet = West side Road 5.745Feet Plus Road Crossings		
8 Evergreen = South Side Road 3.500 Feet Plus Road Crossings	•	B.Y _
9 Eagle = South Side Road <u>3.000 Feet</u> Plus Road Crossings		UPS
All work will be Bored in min depth of 4 Feet all product will be inside duct.		
	•	K
. ,	;	DEPL
,	•	

The location and description of the proposed line and appurtenances is more fully shown by three copies of drawings attached to this notice. The line will be constructed and maintained on the County right-of-way as directed by the County Engineer in accordance with current Upshur County specifications.

Construction of this line will begin on or after the & day of Aug. 2016 and will be completed within 90 days of the date of approval.

Firm	ETEX TELEPHONE COOP: Inc
By	Martin Thompson
Title	Right of way solicitor
Addres	S P.O. Box 130 Gilmer Tex 75644

NOTE: 1. This form to be submitted in triplicate for each proposed installation.

2. The permit shall be in effect until the utility line is removed from the right of way.

3. Inform the County Engineer if work is not completed within this time

Revised 11/30/10

2015

SOC

ហ

AM 10: 39

TO: ETEX TELEPHONE COOP : Inc P. O. Box 130 Gilmer Tex 75644 DATE <u>7/22/2016</u>

The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed <u>New</u> <u>Fiber Optic</u> line across <u>All Mention Roads</u> as shown by accompanying drawings and notice dated <u>Approved</u>, except as noted below:

N/A

It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.

All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:

1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.

2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.

3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.

4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)

5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.

6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.

7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.

8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.

9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One-half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.

APPROVED:

10. Utility company shall install adequate erosion control measures for any excavation work being performed.

APPROVED; County Engineer

Chairperson, Upshur County Commissioners Count Revised 11/30/10

DEPU

NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

DATE: 8/10/2016

TO: UPSHUR COUNTY COMMISSIONERS COURT c/o UPSHUR COUNTY ENGINEER UPSHUR COUNTY ROAD & BRIDGE DEPARTMENT P. O. BOX 730 Gilmer, TX 75644

EXPIRES:10/10/2016

Formal notice is hereby given that <u>ETEX TELEPHONE COOP</u>: Inc_proposes to bore a <u>New Fiber Optic</u> line within the right-of-way of County Roads <u>Pin Oak</u>, <u>Cottonwood</u>, <u>Locust</u>, <u>Paw Paw</u>, <u>Lobholly</u>, <u>Pinion</u>, <u>Blair</u>, <u>Lauren</u> as follows:

1 Pin Oak = East And South Side Road 4,300 Feet Plus Road Crossings

2 Cottonwood = South Side <u>Road 8,500 Feet</u> Plus Road Crossings

3 Locust = West Side Road 6,200 Feet Plus Road Crossings

4 Paw Paw = South Side Road 770 Feet

5 Lobbolly = East Side Road 2,500 Feet Plus Road Crossings

6 Pinion = East Side <u>Road 5,500 Feet</u> Plus Road Crossings

7 Blair = South side <u>Road 1,350 Feet</u> Plus Rad Crossings

8 Lauren = South Side Road 2,500 Feet Plus Road Crossings


All work will be Bored in at min Depth of 4 feet, All product will be inside duct.

The location and description of the proposed line and appurtenances is more fully shown by three copies of drawings attached to this notice. The line will be constructed and maintained on the County right-of-way as directed by the County Engineer in accordance with current Upshur County specifications.

Construction of this line will begin on or after the 10 day of July, 2016 and will be completed within 90 days of the date of approval.

Firm	ETEX TELEPHONE COOP:Inc
	Martin Thompson
Title	Right of way solicitor
Address	P.O. Box 130 Gilmer Tex 75644

- NOTE: 1. This form to be submitted in triplicate for each proposed installation.
 - 2. The permit shall be in effect until the utility line is removed from the right of way.
 - 3. Inform the County Engineer if work is not completed within this time



DEPU

വ

APPROVAL

TO: ETEX TELEPHONE COOP:Inc P.O. Box 130 Gilmer Tex 75644

The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed <u>Fiber</u> Optic line across <u>All mentioned</u> Roads as shown by accompanying drawings and notice dated Approved , except as noted below

N/A

It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.

All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:

1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.

2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.

3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.

4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)

5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.

6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.

7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.

8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.

9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the Requirements of the current version of the Texas MUTCD.

10. Utility company shall install adequate erosion control measures for any excavation work being performed

APPROVED:APPROVED:	UTY	TX.	ů. ř	RH
County Engineer Chairperson, Upshi NOTICE OF PROPOSED INSTALLATION	ur County Co	nmissio	nersC	ourt

Revised 11/30/10

DATE <u>8/10/2016</u>