## **DRIVEWAY PERMIT APPLICATION**

### TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 2

•.••••

DATE July 26, 2017

Formal notice is hereby given that Jim Winn, whose principal address is 923 Lazy Daisy, does hereby purpose to place a driveway culvert within the ROW of County Road Lazy Daisy. Proposed construction will begin, if approved, on or after the <u>31st</u> day of <u>July</u>, 2017 I, Jim Winn, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert \_\_\_\_\_\_ will not be placed by County equipment and personnel. This is a *v*new installation extension.

SIGNATURE: m TELEPHONE: 903-720-0368

APPROVAL OF PERMIT APPLICATION

The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed driveway culvert for the address shown above. The proposed driveway structure

will be a <u>"x</u> ' cul	vert.	:	
Recommended by			
APPROVED ON THIS		, 20	
	· ·· .		
		2011 BY	
		UPSHOE IS	
		DEPUTY	
		DOSS MERK MTY. TX. DEPUTY	
	•		
		:	
		; ·	
PAGE		SÞE8089206 ÞE:ZT ZT0Z/TT/80	

## DRIVEWAY PERMIT APPLICATION

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 2

DATE July 25, 2017

Formal notice is hereby given that <u>Heath Hamberlin</u>, whose principal address is <u>1605 Cloinal Dr</u> <u>Longview</u>, does hereby purpose to place a <u>driveway culvert</u> within the ROW of County Road <u>Nasturtium</u>. Proposed construction will begin, if approved, on or after the <u>15th</u> day of <u>August</u>, 20<u>17</u> I, <u>Heath Hamberlin</u>, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert  $\chi$  will/\_\_\_ will not be placed by County equipment and personnel. This is a  $\chi$  new installation \_\_\_\_ extension.

SIGNATURE: TELEPHONE: 903-261-1688

APPROVAL OF PERMIT APPLICATION

The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed <u>driveway culvert</u> for the address shown above. The proposed driveway structure

APPROVED ON THIS	DAY OF _		, 20	•		
APPROVED ON THIS			;	·•.		
			: :			
		•				
			:	•		
				:		
	1		:		UP: BY_	2017
				:	N Y	2017 AUG 15
			:		) No	្រា
			·	•		AM
					DEPUTY	AM 11: 49
			:			ů
			•		•	
			:			

## DRIVEWAY PERMIT APPLICATION

## TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 2

DATE August 10, 2017

Formal notice is hereby given that <u>Mike Riggenberg</u>, whose principal address is <u>4887 Dahlia</u>, does hereby purpose to place a <u>driveway culvert</u> within the ROW of County Road <u>Dahlia</u>. Proposed construction will begin, if approved, on or after the <u>15th</u> day of <u>August</u>, 20<u>17</u> I, <u>Mike</u> <u>Riggenberg</u>, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert <u>will</u> will not be placed by County equipment and personnel. This is a <u>new installation</u> extension.

SIGNATURE: **TELEPHONE:903-762** -1899

APPROVAL OF PERMIT APPLICATION

The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed <u>driveway culvent</u> for the address shown above. The proposed driveway structure will be a \_\_\_\_x ' culvert.

Recommended by 51		
APPROVED ON THIS	DAY OF	, 20
		FIL COUNTY 2017 AUG 15 UPSHOLD
		ED CLERK AM 11: 49 DEPUTY

# SPECIAL ROAD USE AGREEMENT CONTRACT

i

THE STATE OF TEXA	s } .	٠
COUNTY OF UPSHUE	KNOW ALL MEN BY THESE PRESENTS:	
The undersigned, MO referred to as First Party Precinct No. 2, Upshur use a portion of Upshur Commissioner has juriso	DA And Forest Service, hereinafter enters into an agreement with Upshur County Commissioner of County, and in order to get material to market it is necessary to County roads located in Precinct No. Zover which iction and obligation to maintain in good repair, and both parties lamage to said roads as a result of hauling on and over same.	
	1. By that section of (described exact route, direction and miles in tenths) Nasturfium off Hwy 155	
First Party agrees to use other traffic on said road times.	2. Its vehicles in such a manner as not to block or interfere with so that said road will be open to travel by the public at all	
First Party agrees to grad equipment, labor and ma is AQUING 1095	3. e, maintain and otherwise repair said road, using its own terials, if any needed, during the duration of time that First Party from lands location in Precinct No. C. Upshur County.	
First Party agrees to put commencement of haulir	4. said road back into same condition as it was prior to the g operations on the part of First Party.	
First Party agrees to POS County Commissioner's	5. T PERFORMANCE BOND in the amount of \$-0-, to Upshur Court to insure performance of agreement.	
granted him by Article 6 Commissioner by the ter	6. onstrued as a waiver by the Commissioner of the authority 16, V.A.C.S., but the rights and authority granted the ns of Article 6716, V.A.C.S., are expressly reserved by the nt First Party fails to abide by the conditions above set forth.	
	AUG 15 AM II: 49 SHULL UNTY CLERK DEPUTY DEPUTY	יי בר = ר
	· - •	

ъ <del>ст</del>

۶.

08/11/201/ 12:34 003680834E

First Party Signature Street or Box 56 City, State and Zip Code Telephone Timber Tract / Property Øwner Z / U\_\_,Valid Issued b to PERMIT ISSUED NOT TO EXCEED 90 DAYS UNLESS OTHERWISE NOTED A COPY OF THIS PERMIT MUST BE IN EVERY TRUCK BEING USED 5 ; 7 6th ::|

#### NOTICE OF PROPOSED INSTALLATION NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

DATE: 8/1/2017

TO: UPSHUR COUNTY COMMISSIONERS COURT c/o UPSHUR COUNTY ENGINEER EXPIRES:10/31/2017 UPSHUR COUNTY ROAD & BRIDGE DEPARTMENT P. O. BOX 730 Gilmer, TX 75644

Formal notice is hereby given that <u>Etex Telephone Coop</u>..Inc. proposes to bore a <u>New Fiber Optic</u> line within the right-of-way of County Road <u>Blue Bird</u> as follows: Installing a new fiber optic line and 2-1.25" Duct's. All construction will be Directional Bored in at a min Depth of 4'.



The location and description of the proposed line and appurtenances is more fully shown by three copies of drawings attached to this notice. The line will be constructed and maintained on the County right-of-way as directed by the County Engineer in accordance with current Upshur County specifications.

Construction of this line will begin on or after the 1 day of Aug, 2017 and will be completed within 90 days of the date of approval.

 Firm
 Etex Telephone Coop.,Inc.

 By
 Martin Thompson

 Title
 Right of way solicitor

 Address
 P.O. Box 130 Gilmer Tex 75644

NOTE: 1. This form to be submitted in triplicate for each proposed installation.

- 2. The permit shall be in effect until the utility line is removed from the right of way.
- 3. Inform the County Engineer if work is not completed within this time

#### Revised 11/30/10

MY 1.

#### APPROVAL

#### TO: Etex Telephone Coop.,Inc. P.O. 130 Gilmer Tex 75644

DATE 8/1/2017

The Upshur County Commissione's Court offers no objections to the location on the right-of-way of your proposed <u>Fiber</u> optic cable line across <u>Blue Bird Road</u> as shown by accompanying drawings and notice dated <u>Approved</u>, except as noted below:

N/A

It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.

All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:

1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.

2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.

3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.

4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)

5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.

6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.

7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.

8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.


9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.

10. Utility company shall install adequate prosion control measures for any excavation work being performed.

Ruaid Coministrator APPROVED:

APPROVED:

Chairperson, Upshur County Commissioners Court Revised 11/30/10



(<u>))</u>

Google

Map data @2017 Google United States 500 ft L\_\_\_\_\_

#### APPROVAL

TO: <u>Harlton Taylor</u> <u>P.O. Box 130</u> <u>Gilmer, TX 75644</u>

įŝ

The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed water line along <u>Periwinkle Road</u> as shown by accompanying drawings and notice dated <u>8/4/17</u>, except as noted below:

Place line 4"

It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.

All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall hot damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:

the All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.

2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.

3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.

4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on thes installed 48 inches or greater below flowline.)

5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.

6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.

7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.

8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road sufface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.

9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.

10. Utility company shall install adequate erosion control measures for any excavation work being performed.

Road Administrator

APPROVED:\_

Chairperson, Upshur County Commissioners Court Revised 11/30/10

PAGE 02/14

08/11/5012 15:34 2036808345

## Notice of Proposed Installation Utility Line

To the Upshur County Road & Bridge

Date August 2, 2017

Formal notice is hereby given that Bi-	County Water Supply Corp.
Company proposes to place a 4" WA	TER LINE on PERIWINKLE ROAD
line within the right-of-way of PERIM	INKLE ROAD IN UPSHUR County
Texas as follows: (give location, length	general design, etc.)

We propose to trench on East side of Periwinkle Road for 8460 ft. start at 1215 south of tris road to Stanley Road. 4in. water line will be installed at a depth of 42 in. or greater and driveways will bored and encased and creek will be Bored at a depth of 42" or greater from bottom of creek bad.

The line will be constructed and maintained on the county right-of-way as shown on the attached drawing and in accordance with the rules, regulations and policies of the County and all governing laws, including but not limited to the "Federal Clean Water Act," the "National Endangered Species Act," and the "Federal Historic Preservation Act." Upon request by County, proof of compliance with all governing laws, rules and regulations will be submitted to County before commencement of construction.

Our firm will use Best Management Practices to minimize erosion and sedimentation resulting from the proposed installation, and we will revegetate the project area as indicated under "Revegetation Special Provisions."


Our firm will ensure that traffic control measures complying with applicable portions of the Texas Manual of Uniform Traffic Control Devices will be installed and maintained for the duration of this installation.


The location and description of the proposed line and appurtenances is more fully shown by <u>1 (one)</u> complete sets of drawings attached to this notice.

Construction of this line will begin on or after the 4 day of August , 2017

By signing below, I certify that I am authorized to represent the Firm listed below, and that the Firm agrees to the conditions/provisions included in this permit.

Signature	Al Patrite
Title <u>Man</u>	ager
Address	P.O. Box 848
	Pittsburg, Texas 75686






6714 BAGE 05/14

0328808342

**8/3/2017** \$2:30777/17





08/11/2017 12:34 https://propaccess.trucautomation.com/mapSearch/?cid=55&p=65050701 51/98 399d