## **DRIVEWAY PERMIT APPLICATION**

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT DATE 3-28-25
Formal notice is hereby given that Edward No/en, whose principal address is 5347 Bobwhite, does hereby purpose to place a driveway culvert within the ROW of County Road Bobwhite. Proposed construction will begin, if approved, on or after the 31 day of March, 2025 I, Edward Noien, hereby attest that I have read the conditions set forth in this application and understand its contents. The culvert will/ will not be placed by County equipment and personnel. This is a x new installation extension.
SIGNATURE: 7n-17nd TELEPHONE: 903-790-5762
APPROVAL OF PERMIT APPLICATION
The Upshur County Commissioners Court offers no objection to the location on the right of way of your proposed driveway culvert for the address shown above. The proposed driveway structure
will be a 15 "x 30" culvert.
Do A
Recommended by Auft

### **DRIVEWAY PERMIT APPLICATION**

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 1	DATE _	March 24,	2025	
Formal notice is hereby given that	ce a driveway Il begin, if app gan, hereb ts contents. T s is a new	culvert within the proved, on or after y attest that I have the culvert X with installation X e	ROW of Cour the <u>31st</u> d read the condit ll/will not l	nty Road ay of tions set
APPROVAL O	F PERMIT	<u>APPLICATION</u>		
The Upshur County Commissioners Court your proposed driveway culvert for the add will be a 15 "x 20" culvert.				
Recommended by				
APPROVED ON THIS DAY OF		,20	•	

#### APPROVAL

TO: Charter-Spectrum DATE April 11, 2025 2150 S Central Expressway Suite 300 McKinney, TX 75070
The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed 1-2"  HDPE conduit line across Sycamore, Red Cedar, Lemon, Saunders Road as shown by accompanying drawings and notice dated April 9, 2025, except as noted below:
N/A
It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.
All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:
1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.
2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.
4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)
5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.
6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.
7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.
9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.
10. Utility company shall install adequate erosion control measures for any excavation work being performed.
APPROVED: APPROVED:
Road Administrator Chairperson, Upshur County Commissioners Court

Revised 11/30/10

# NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

			DATE: 04-0	9-2025		
TO: UPSHUR COUNTY COMMISSIONER c/o UPSHUR COUNTY ENGINEER UPSHUR COUNTY ROAD & BRIDGI P. O. BOX 730 Gilmer, TX 75644			EXPIRES:_			
Charter-Spectrum Formal notice is hereby given thatproas follows:	n poses to b	1-2" HDP: oore a	E conduits _ line within t	he right-of-way	y of County Ros	ad
Charter communications proposes to equipped with fiber optic cable, and a County roads; Sycamore Rd, Red Co	approx.	63 vault	s, and app	rox. 28 pec	destals alon	
			•			
The location and description of the proposed attached to this notice. The line will be cons County Engineer in accordance with current	structed as	nd maintain	ed on the Cou	ly shown by th nty right-of-w	aree copies of di ay as directed b	rawing y the
Construction of this line will begin on or after days of the date of approval.	r the <u>25</u>	day of <u>N</u>	//arch20 <u>25</u>	and will be c	ompleted within	<u>190</u>
	By F Title F Address	Project ma 2150 S (	r-Spectrum-l nager	ressway, S	e (LJA Telecor Suite 300,	n)
NOTE: 1. This form to be submitted in tri 2. The permit shall be in effect un 3. Inform the County Engineer if the	til the util	lity line is r	emoved from	the right of wa	y.	

#### APPROVAL

TO: Charter-Spectrum 2150 S Central Expressway Suite 300 McKinney, TX 75070	DATE <u>April 3, 2025</u>			
	ons to the location on the right-of-way of your proposed 1-2" r. Stable. Robin, Eagles Nest Road as shown by accompanying v:			
N/A				
It is expressly understood that the Upshur County Commissioners Coeasement in or upon this county road; and it is further understood that improve, relocate, widen, increase add to or any manner change the smoved under the direction of the Upshur County Engineer and shall be shall be notified a minimum of 48 hours prior to the beginning of any	t in the future should for any reason Upshur County need to work, tructure of this right-of-way line, this line, if affected, will be be relocated at the complete expense of the owner. Upshur County			
All work on the county right-of-way shall be performed in accordance not damage any part of the highway and adequate provisions must be property owners. Special specifications for placing this line are as for	made to cause minimum inconvenience to traffic and adjacent			
1. All ground lines are to be installed a minimum of 36 inches below	the flowline of the adjacent drainage or borrow ditch.			
2. All excavations within the right-of-way and not under surfacing sh surplus material shall be removed from the right-of-way and the excavations.				
3. Lines crossing under surfaced roads and under surfaced cross road shall extend from crown line to crown line.	s within the right-of-way shall be placed by boring. Boring			
4. All lines under roads carrying pressure in excess of 50 psi shall be line to right-of-way line. Pipe used for casing may be of any type app Supporting the load of roadbed and traffic and shall be so constructed for its entire length. Inside diameter of casing shall be at least 2 inche couplings. (Encasement is not required on lines installed 48 inches or	proved by the County Engineer and shall be capable of I that there will be no leakage of any matter through the casing es greater than the largest outside diameter of carrier pipe, joint or			
5. All lines, where practicable, shall be located to cross roadbed at an under or within 50 feet of either end of a bridge unless approved by the any culvert or within 10 feet of the closest point of same.				
6. Parallel lines will be installed as near the right-of-way lines as is pubetween the drainage ditch and roadbed unless approved by the Coun				
7. Overhead lines will have a minimum clearance of 18 feet above the	e road surface at point of crossing.			
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.				
9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.				
10. Utility company shall install adequate erosion control measures for	r any excavation work being performed.			
APPROVED: APPROVED: Road Administrator	OVED: Chairperson, Upshur County Commissioners Court			
Addu Administrator	Revised 11/30/10			

# NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

				DATE:
тс	o: UPSHU	JR COUNTY COMMISSIONERS COU	RT	DATE.
	c/o UP	SHUR COUNTY ENGINEER		EXPIRES:
		UR COUNTY ROAD & BRIDGE DEPA BOX 730	KIMENI	
		, TX 75644		
		Charter Speatrum	1-2" HDPE	
Fo	mal noti	Charter-Spectrum ce is hereby given thatproposes to	bore a	line within the right-of-way of County Road
Municipa Porter Ln				
		In, and Eagles Nest.		
		-		
<b>.</b>				
				ground conduits e/w fiber optic cable, and approx. 60 r , Porter Ln, Salter Ln, Stable Rd, Robin In, and Eagles
Nest.		, , , , , , , , , , , , , , , , , , ,	•	,
•				
and a	L. Tanada.	d description of the amproped line an	d annurtenan	ces is more fully shown by three copies of drawings
at	tached to	this notice. The line will be constructed	and maintair	ied on the County right-of-way as directed by the
		ineer in accordance with current Upshur		
C	onstructio	10th of this line will begin on or after the	day of _	April 25 and will be completed within 90
da	ys of the	date of approval.		
		Firm	Charter S	
		By Title	Project Ma	er Spectrum (Marwah Altaie -LJA Telecom) anager
			<sub>is</sub> <u>2150</u> S (	Central Expressway, Suite 300,
			McKinne	ey, TX 75070
. N	OTE: 1.	This form to be submitted in triplicate	for each proj	nosed installation.
	2.	The permit shall be in effect until the u Inform the County Engineer if work is	stility line is a	emoved from the right of way.  d within this time.
	3.	THIS IN THE COMMENT FIRMINGS IN MARK ID		

#### APPROVAL

TO: Charter-Spectrum DATE April 11, 2025 2150 S Central Expressway Suite 300
McKinney, TX 75070
The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed 1-2"  HDPE conduit line across Water Tower, Water Tower Loop, Almond, White Oak, Pine, Moore, Bradley, Weeping Willow, Persimmon Road as shown by accompanying drawings and notice dated April 9, 2025, except as noted below:
N/A
It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.
All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:
1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.
2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.
4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)
5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.
6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.
7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.
9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.
10. Utility company shall install adequate erosion control measures for any excavation work being performed.
APPROVED: APPROVED:
Road Administrator  Road Administrator  Chairperson, Upshur County Commissioners Court Revised 11/30/10

# NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

	DATE:
TO: UPSHUR COUNTY COMMISSIONERS COURT c/o UPSHUR COUNTY ENGINEER UPSHUR COUNTY ROAD & BRIDGE DEPARTMENT P. O. BOX 730 Gilmer, TX 75644	EXPIRES:
Charter-Spectrum 1-2" HDPE Formal notice is hereby given thatproposes to bore aas follows:  WATER TOWER RD MOORE RD WATER TOWER LOOP BRADLEY RD WALMOND RD WEEPING WILLOW RD WHITE OAK RD PERSIMMON RD PINE RD	conduits line within the right-of-way of County Road
Charter-Spectrum is proposing to install approx. 59,35 cable, and place 75 vaults and approx. 22 pedestal with TOWER LOOP, ALMOND RD, WHITE OAK RD, PINE WILLOW RD, AND PERSIMMON RD.	thin the ROW of WATER TOWER RD, WATER
	C. N A A
The location and description of the proposed line and appurtenanc attached to this notice. The line will be constructed and maintaine County Engineer in accordance with current Upshur County specific	ed on the County right-of-way as directed by the ications.
Construction of this line will begin on or after the 1st day of days of the date of approval.	ril , 20 25 <u>and will be completed within 90</u>
<del></del>	tale
NOTE: 1. This form to be submitted in triplicate for each proper 2. The permit shall be in effect until the utility line is re 3. Inform the County Engineer if work is not completed	moved from the right of way.

## SPECIAL ROAD USE AGREEMENT CONTRACT

· · · · · · · · · · · · · · · · · · ·
THE STATE OF TEXAS } KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF UPSHUR }
The undersigned, <u>Weyerhaeuser</u> , hereinafter referred to as First Party, enters into an agreement with Upshur County Commissioner of Precinct No. <u>4</u> , Upshur County, and in order to get material to market it is necessary to use a portion of Upshur County roads located in Precinct No. <u>4</u> , over which Commissioner has jurisdiction and obligation to maintain in good repair, and both parties being aware of possible damage to said roads as a result of hauling on and over same, enter into the following agreement:
1.
First Party agrees to use only that section of (described exact route, direction and miles in tenths)
approximately ½ mile on Ermine Rd off of FM 852
2. First Party agrees to use its vehicles in such a manner as not to block or interfere with other traffic on said road, so that said road will be open to travel by the public at all times.
First Party agrees to grade, maintain and otherwise repair said road, using its own equipment, labor and materials, if any needed, during the duration of time that First Party is <u>logging</u> from lands location in Precinct No. 4, Upshur County.
4. First Party agrees to put said road back into same condition as it was prior to the commencement of hauling operations on the part of First Party.
5. First Party agrees to POST PERFORMANCE BOND in the amount of \$-0-, to Upshur County Commissioner's Court to insure performance of agreement.
6.

Nothing herein shall be construed as a waiver by the Commissioner of the authority granted him by Article 6716, V.A.C.S., but the rights and authority granted the Commissioner by the terms of Article 6716, V.A.C.S., are expressly reserved by the Commissioner in the event First Party fails to abide by the conditions above set forth.

Jacob Hammons	•	•		
First Party Signature	•			
5500 NW Texas St	•	•		·
Street or Box	-			
<u>Idabel, OK 74745</u>			•	
City, State and Zip Code		•		
918-316-3160				
Telephone				
Tommy Eatherton				
Timber Tract / Property Owner				
		•		
Issued by Amanda Sullivan	Valid _	April 1, 2025.	to_	July 1, 2025

PERMIT ISSUED NOT TO EXCEED 90 DAYS UNLESS OTHERWISE NOTED

COPY OF THIS PERMIT MUST BE IN EVERY TRUCK BEING USED

\*\*\*A TEMPORARY CULVERT MUST BE INSTALLED IN DITCH BEING USED FOR ACCESS TO LAND\*\*\*

# SPECIAL ROAD USE AGREEMENT CONTRACT

THE STATE OF TEXAS	}	
COUNTY OF UPSHUR	}	KNOW ALL MEN BY THESE PRESENTS:
it is necessary to use a portion of Up which Commissioner has jurisdiction	, enter Upshoshur n and age to	rs into an agreement with Upshur County ur County, and in order to get material to marke County roads located in Precinct No. 2, over obligation to maintain in good repair, and both a said roads as a result of bauling on and over
First Party agrees to use only that section Rose Trail 1 mile off FM 593	n of (	1. described exact route, direction and miles in tenths)
First Party agrees to use its vehicles i other traffic on said road, so that said times.	n suc	2.  h a manner as not to block or interfere with will be open to travel by the public at all
equipment, labor and materials, if any	7 need	3.  Therwise repair said road, using its own led, during the duration of time that First Party tion in Precinct No2_, Upshur County.
First Party agrees to put said road back commencement of hauling operations	k into on th	4. same condition as it was prior to the e part of First Party.
First Party agrees to POST PERFORM County Commissioner's Court to insur	/IAN( re per	5. CE BOND in the amount of \$-0-, to Upshur formance of agreement.
granted him by Article 6716, V.A.C.S. Commissioner by the terms of Article	waiv ., but 6716,	6. er by the Commissioner of the authority the rights and authority granted the V.A.C.S., are expressly reserved by the to abide by the conditions above set forth.

Withen -	
First Party Signature	
fob 2/1 Street or Box	
Silver TX 75644 City, State and Zip Code	
903 790 0317 Telephone	
Timber Tract / Property Owner	
Issued byLisa Tefteller Valid 4/3/2025	to 7/3/2025

## PERMIT ISSUED NOT TO EXCEED 90 DAYS UNLESS OTHERWISE NOTED

A COPY OF THIS PERMIT MUST BE IN EVERY TRUCK BEING USED

DRIVEWAY PERMIT APPLICATION

TO: THE UPSHUR COUNTY COMMISSIONERS COURT:
COUNTY OF UPSHUR
OILMER, TEXAS

PRECINCT 3	DATE -	March 21, 2	025	
		1997 - Jan 18 - 1988 -	17 5 - 7 7 5 - 12	$t_{i_0}$
			<b>可靠企业的</b>	ار میں اگری این این ا
Formal notice is hereby given that	Richard Solie	, whose principal a	iddress is * * 1032	ig
The tale of the second of the second of the second	onose fo mace a d	riveway cuivert will	IIII. III CALOTA CALOT	
County Road Water Tower	Proposed constru	rion Will Degin, II a	visitest that I have	
the 11st day of March 2 read the conditions set forth in this a	U) Z3 . II	lerstand its contents	The culvert X	× , , 3
will will not be placed by Count	porteau or and i	ersonnel This is a	X new installati	on
extension				ا عود الرا
	1 307 // 22			
SIGNATURE / (Icha d	-200-		46 A 32 33 3	1.0
TELEPHONE: 321-247-0901				4 . V . A
Approvi	TARDEDMIT	APPLICATION		4-2-
with the second	THE STREET			0 4
The Upshur County Commissioners C	ourt offers no ob	ection to the location	n on the right of	vay of
your proposed driveway culvert for the	e address shown i	ibove. The propose	d driveway struct	ure
will be a 15 "x 30 culvert."				33 <u>6</u>
01-14-	T- 184 7612 Mar		Y 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
			74.并分别。	,
Recommended by Att	er chair an			
				,
PPROVED ON THIS DAY				man, kud Nation
PROVED ON THIS DAY	Unit 12 44 12 24	20	- 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
<b>"对点点是是,我们是否是不是这么</b>			四十二二次建筑建	راه مي الاستان المراسط به الاستان

## **DRIVEWAY PERMIT APPLICATION**

TO: THE UPSHUR COUNTY COMMISSIONERS COURT COUNTY OF UPSHUR GILMER, TEXAS

PRECINCT 3	1	DATE <u>Apri</u>	110, 2025	
Hendricks St. Gladev ROW of County Roa after the 15th da have read the condition X will/ will not installation extens	vater, TX, does hereldWhite Fir Pro y ofApril, 202 ons set forth in this applit be placed by County equion.  Market Bure	by propose to play posed construction  25 . I, Anguication and under  puipment and per	se principal address isace a driveway culvert will on will begin, if approved a Burns, hereby attestand its contents. The cronnel. This is a _X new	thin the d, on or st that I sulvert
	APPROVAL OF PI	ERMIT APPLI	<u>CATION</u>	
The Upshur County Coyour proposed drivewa will be a 15 "x 20	y culvert for the address	rs no objection t shown above.	o the location on the right The proposed driveway st	t of way of ructure
Recommended by	s the	<del></del>		
APPROVED ON THIS	DAY OF	4	,2025	

#### APPROVAL

TO: Charter-Spectrum DATE April 3, 2025 2150 S Central Expressway Suite 300			
McKinney, TX 75070			
The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed 1-2"  HDPE conduit line across Bob O Link, N Point Pleasant, Caddo, Union Grove Cemetery, White Oak, Willow Oak,  Fir; Pine Ridge Road as shown by accompanying drawings and notice dated April 3, 2025, except as noted below:			
N/A			
It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.			
All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:			
1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.			
2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.			
3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.			
4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)			
5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.			
6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.			
7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.			
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.			
9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.			
10. Utility company shall install adequate erosion control measures for any excavation work being performed.			
APPROVED: APPROVED: Chairperson, Upshur County Commissioners Court			
Revised 11/30/10			

## NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

	DATE:
TO: UPSHUR COUNTY COMMISSIONER: c/o UPSHUR COUNTY ENGINEER UPSHUR COUNTY ROAD & BRIDGE P. O. BOX 730 Gilmer, TX 75644	EXPIRES:
Charter-Spectrum Formal notice is hereby given thatprojas follows:	n 1-2" HDPE conduits poses to bore a line within the right-of-way of County Road
• •	install fiber optic cable along: Bob O Link Road, Point Grove Cemetery Road, White Oak Road, Willow Oak
The location and description of the proposed attached to this notice. The line will be cons County Engineer in accordance with current lines.	
Construction of this line will begin on or after days of the date of approval.	April r the <u>20</u> day of, 20 <u>25 and will be completed within 90</u>
	Firm Charter Spectrum By <u>Erica Villegas</u> Title <u>UTILITY SPECIALIST</u> Address 6060 N Central Expy, Dallas, TX 75206
<ol><li>The permit shall be in effect un</li></ol>	plicate for each proposed installation. til the utility line is removed from the right of way. work is not completed within this time.

### APPROVAL

TO: Charter-Spectrum 2150 S Central Expressway Suite 300 McKinney, TX 75070  DATE April 9, 2025
The Upshur County Commissioners Court offers no objections to the location on the right-of-way of your proposed 1-2"  HDPE conduit line across Red Maple, Brown, Red Cedar, Tan Oak, Sycamore, Beech, Birch, Bamboo Road as shown by accompanying drawings and notice dated April 9, 2025, except as noted below:
N/A
It is expressly understood that the Upshur County Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and it is further understood that in the future should for any reason Upshur County need to work, improve, relocate, widen, increase add to or any manner change the structure of this right-of-way line, this line, if affected, will be moved under the direction of the Upshur County Engineer and shall be relocated at the complete expense of the owner. Upshur County shall be notified a minimum of 48 hours prior to the beginning of any work.
All work on the county right-of-way shall be performed in accordance with the County Engineer's instructions. The installation shall not damage any part of the highway and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent property owners. Special specifications for placing this line are as follows:
1. All ground lines are to be installed a minimum of 36 inches below the flowline of the adjacent drainage or borrow ditch.
2. All excavations within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfaced cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line.
4. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be of any type approved by the County Engineer and shall be capable of Supporting the load of roadbed and traffic and shall be so constructed that there will be no leakage of any matter through the casing for its entire length. Inside diameter of casing shall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or couplings. (Encasement is not required on lines installed 48 inches or greater below flowline.)
5. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of a bridge unless approved by the County Engineer in writing. No lines shall be placed inside any culvert or within 10 feet of the closest point of same.
6. Parallel lines will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed unless approved by the County Engineer in writing.
7. Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.
9. Barricades, warning signs, lights and flagmen, when necessary, shall be provided by the contractor or owner. One half of the traveled portion of the road must be open to traffic at all times. All traffic control shall be in accordance with the requirements of the current version of the Texas MUTCD.
10. Utility company shall install adequate erosion control measures for any excavation work being performed.
APPROVED: APPROVED:
Road Administrator Chairperson, Upshur County Commissioners Court

Chairperson, Upshur County Commissioners Court Revised 11/30/10

# NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

TO: UPSHUR COUNTY COMMISSIONERS COURT c/o UPSHUR COUNTY ENGINEER UPSHUR COUNTY ROAD & BRIDGE DEPARTMENT P. O. BOX 730 Gilmer, TX 75644	DATE: 4/7/2025  EXPIRES:
Charter-Spectrum 1-2" HDPE Formal notice is hereby given thatproposes to bore a Red Maple Rd, as follows: Brown Rd, Red Cedar Rd, Tan Oak Rd, Sycamore Rd, Beech Rd, Birch Rd, and Bamboo Rd.	
Charter-Spectrum is proposing to install approx. 45,127' of und approx. 83 Vaults, and approx. 26 pedestals within the ROW of Brown Rd, Red Cedar Rd, Tan Oak Rd, Sycamore Rd, Beech I	f Red Maple Rd,
The location and description of the proposed line and appurtenal attached to this notice. The line will be constructed and maintal County Engineer in accordance with current Upshur County specified.	ined on the County right-of-way as directed by the cifications.
Construction of this line will begin on or after the day of days of the date of approval.	April , 20 and will be completed within 90
Title Project Mai Address 2150 S 0	r Spectrum (Marwah Altaie -LJA Telecom)
NOTE: 1. This form to be submitted in triplicate for each pro 2. The permit shall be in effect until the utility line is 3. Inform the County Engineer if work is not complete	removed from the right of way.

#### APPROVAL

TO: Charter-Spectrum 2150 S Central Expressway Suite 300	DATE <u>April 3, 2025</u>		
McKinney, TX 75070	•		
HDPE conduit line across Ch	ourt offers no objections to the location on the right-of-way of your proposed 1-2" herry, White Oak, Locust, Mesquite, Juniper, Sweet Gum, Carrington, Black Oak, hown by accompanying drawings and notice dated April 1, 2025, except as noted		
easement in or upon this county road; and it is fi improve, relocate, widen, increase add to or any	ty Commissioners Court does not purport, hereby, to grant and right, claim, title, or in the future should for any reason Upshur County need to work, a manner change the structure of this right-of-way line, this line, if affected, will be a Engineer and shall be relocated at the complete expense of the owner. Upshur County of the beginning of any work.		
	rformed in accordance with the County Engineer's instructions. The installation shall te provisions must be made to cause minimum inconvenience to traffic and adjacent sing this line are as follows:		
1. All ground lines are to be installed a minimum	m of 36 inches below the flowline of the adjacent drainage or borrow ditch.		
	not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All s-of-way and the excavation finished flush with surrounding natural ground.		
3. Lines crossing under surfaced roads and under shall extend from crown line to crown line.	er surfaced cross roads within the right-of-way shall be placed by boring. Boring		
line to right-of-way line. Pipe used for casing m Supporting the load of roadbed and traffic and sl	cess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way hay be of any type approved by the County Engineer and shall be capable of hall be so constructed that there will be no leakage of any matter through the casing hall be at least 2 inches greater than the largest outside diameter of carrier pipe, joint or installed 48 inches or greater below flowline.)		
	to cross roadbed at approximately right angles thereto. No lines are to be installed unless approved by the County Engineer in writing. No lines shall be placed inside of same.		
6. Parallel lines will be installed as near the righ between the drainage ditch and roadbed unless a	nt-of-way lines as is possible and no parallel line will be installed in the roadbed or approved by the County Engineer in writing.		
7. Overhead lines will have a minimum clearance	ce of 18 feet above the road surface at point of crossing.		
8. Operations along roadways shall be performed in such a manner that all excavated material be kept off the pavements at all times, as well as all operating equipment and materials. Do not use equipment or installation procedures which will damage any road surface or structure. The cost of any repairs to road surfaces, roadbed, structures or other right-of-way features as direct result of this installation will be borne by the owner of this line.			
	n, when necessary, shall be provided by the contractor or owner. One half of the fic at all times. All traffic control shall be in accordance with the requirements of		
10. Utility company shall install adequate erosion	n control measures for any excavation work being performed.		
APPROVED: Road Administrator	APPROVED:  Chairperson, Upshur County Commissioners Court Revised 11/30/10		
	1071300 11/30/10		

# NOTICE OF PROPOSED INSTALLATION PIPE AND/OR UTILITY LINES

			DATE:	
c/o UPS UPSHU P. O. Be	R COUNTY COMMISSIONERS CO SHUR COUNTY ENGINEER OR COUNTY ROAD & BRIDGE DEP OX 730 TX 75644	]	EXPIRES:	
Cherry Rd. as foll White Oak Rd., L	Charter-Spectrum e is hereby given thatproposes lows: .ocust Rd., Mesquite Rd, Juniper R Rd, Faggett Rd, Sugarberry, And Ti	Rd., Sweet Gun	line within the right-of-way of	
optic cable, and White Oak Rd.	um is proposing to install app d approx. 70 Vaults and appro , Locust Rd., Mesquite Rd, J n Rd, Faggett Rd, Sugarberry	ox. 7 pedest uniper Rd., \$	als within the ROW of Sweet Gum Rd.,carring	Cherry Rd.
attached to to County Engin	and description of the proposed line a his notice. The line will be constructed neer in accordance with current Upshut of this line will begin on or after the late of approval.	ed and maintaine or County specifi Apri	d on the County right-of-way a ications.	as directed by the
	Firm By Title Addre		aie	te 300,
NOTE: 1. 2. 3.	This form to be submitted in triplicat The permit shall be in effect until the Inform the County Engineer if work i	utility line is rea	moved from the right of way.	

SHEET NOE'S

1. COVER SEET


2. GENERAL MITS

3-29 GSP PLAN

# Spectrum

# RDOF\_TX\_CLUSTER\_2\_TBD\_WI34E (3993810) UPSHUR COUNTY BIG SANDY TX, 75755

**APRIL 1, 2025** 



CONTACT:CHARTER-SPECTRUM PHONE: (214) 267-0418 EMAL: Ross Lowe (2) charter.com

CONTACT: KEN BAILEY, SR. PROJECT MANAGER LIA ENGINEERING, INC 2150 8 CENTRAL EXPY, BUITE 300 MCKINNEY, TX 76070 KBAILEY@LJA.COM 214-624-2800

SUBMITTAL PREPARED BY





SCOPE OF V  CHARTER COMMINGATIONS PROF FEER OPID CABLE IN LPSAM, FEER OPID CABLE IN LPSAM, FEER OPID CABLE IN LPSAM, FEER OPID CABLE  COUNTY ROUSE OF PROF FACCETT RD, SUGARGERRY, AND FACCETT RD, SUGARGERRY, AND	POSES TO COUNTY HITE DAK TER RO., S	ON RD., Wezt gum Keen RD.
DESCRIPTION	UNITE	QUANTITY
DIRECTIONAL BORE	LF	32080
TRENCH	LF	
PULL EXISTING CONDUIT		
BORE PITS	EA	
NEW VAULTS	EA	70
NEW PEDESTALS	EA	7
POWER SUPPLY	ΕÁ	
AERIAL RISER	ĒΑ	
NEW STRAND	LF	1
ANCHORS	EA	
NEW POLES	ĒΑ	
EXISTING POLES	EA	
TOTAL PROJECT FOOTAGE	UF .	32080

#### GENERAL HOTER

- ALL EXISTING FACILITIES CURRENTLY IN SERVICE MUST REMAIN IN SERVICE, UNLESS OTHERWISE NOTED IN THE DRAWINGS.
- CONDITION OF THE ROAD AND/OR RIGHT-OF-WAY, UPON COMPLETION OF JOB SHALL BE AS GOOD AS OR BETTER THAN PRIOR TO STARTING WORK.
- ALL EFFORTS HAVE BEEN MADE TO INDICATE ALL EXISTING UTILITIES ON PLANS, IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO LOCATE AND PROTECT ALL SAID UTILITIES AS WELL AS SERVICE CONNECTIONS (WHETHER OR NOT INDICATED ON PLANS), PRIOR TO CONSTRUCTION, CONTRACTOR SHALL COORDINATE WITH UTILITY COMPANIES TO VERIFY LOCATION OF EXISTING UTILITIES.
- 4. CALL UTILITY COORDINATING COMMITTEE 48 HRS. PRIOR TO CONSTRUCTION AT 1-808-344-8377 (1-808-DIG-TESS).
- CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH GAS. OIL, ELECTRIC, TELEPHONE, FIBER OPTIC, CABLE TV. SEWER AND WATER UTILITIES OWNERS, ETC. FOR ANY RELOCATION AND/OR PROTECTION OF EXISTING LINES OR CABLES AS REQUIRED, DUE TO CONSTRUCTION ACTIVITIES.
- CONTRACTOR TO PROVIDE A MINIMUM OF 2' OF CLEARANCE AT ALL CROSSINGS OF SANITARY SEWERS, STORM SEWERS, ELECTRIC, WATER LINES AND LEADS.
- CONTRACTOR MUST COMPLY WITH OSHA SPECIFICATIONS, TXDOT STD. SPEC (DIVISION IV, STRUCTURES) AND UTILITY OWNER STANDARDS FOR TRENCHING, BACKFILLING, EXCAVATION AND SHORING
- 8. THE CONSTRUCTION CONTRACTOR SHALL ALSO BE SOLELY RESPONSIBLE FOR THE MEANS, METHODS, SEQUENCE, PROCEDURES, TECHNIQUES OR SCHEDULING ALL PORTIONS OF THE WORK OF CONSTRUCTION IN ACCORDANCE WITH THE CONTRACT DOCUMENTS. THE CONSTRUCTION CONTRACTOR SHALL ALSO BE SOLELY RESPONSIBLE FOR SAFETY IN OR ABOUT THE JOB SITE IN ACCORDANCE WITH ANY HEALTH OR SAFETY PRECAUTIONS, REGULATIONS, STANDARDS OR CODES REQUIRED BY O.S.H.A. OR ANY OTHER REGULATORY AGENCY.
- NO MORE TRENCH OPENED AT ONE TIME THAN CAN BE BACKFILLED AND COMPACTED IN 8" LIFTS AT THE END OF EACH WORK
  PERIOD: NO TRENCH LEFT OPEN OVERNIGHT UNLESS COVERED BY
- 10. CONTRACTOR TO TAKE NECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRUBS, PLANTS AND TREES ALONG THE AREA OF
- 11. EXISTING PAVEMENT, CURBS, SIDEWALKS, AND DRIVEWAYS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPLACED BY BONDED CONTRACTOR IN CONFORMANCE WITH LOCAL STANDARDS. WHEELCHAIR RAMPS SHALL BE CONSTRUCTED AT ALL PEDESTRIAN CROSSINGS WHERE CURB REMOVAL IS REQUIRED FOR INSTALLATION OF THE UNDERGROUND CONDUIT SYSTEM.
- 12. CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING BORE PIT LOCATIONS AND DIMENSIONS, INFORMATION SHOWN ON PLANS ARE FOR REFERENCE PURPOSE ONLY.
- 13. IF IT BECOMES NECESSARY TO OPERATE MACHINERY ON A PORTION OF THE PAVEMENT, PRECAUTIONS MUST BE TAKEN TO PREVENT ANY DAMAGE WHATSCEVER TO THE PAVEMENT.
- 14. CONTRACTOR SHALL INSTALL TRAFFIC CONTROL DEVICES IN CONFORMANCE WITH PART VI OF THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (2014 EDITION) AND TXDOT STANDARDS DURING CONSTRUCTION TO PROVIDE COMPLETE SAFETY TO THE GENERAL PUBLIC.

- 15. BORE PITS CLOSER THAN 15' FROM THE EDGE OF PAVEMENT MUST BE PROTECTED BY TYPE III BARRICADES, OPEN PITS MUST BE SEALED OFF BY DRANGE PLASTIC MESH FENCING AND CONES OR DRUMS.
- CONSTRUCTION EQUIPMENT LEFT OVERNIGHT IN TXDOT RIGHT-OF-WAY SHALL BE SECTIONED OFF WITH ORANGE PLASTIC MESH FENCING AND BE PLACED AT LEAST 30' FROM THE EDGE OF PAVEMENT. EQUIPMENT LOCATED CLOSER THAN 30' MUST BE PROTECTED BY CONCRETE TRAFFIC BARRIERS (CTB'S).
- 17. CONTRACTOR WILL BE RESPONSIBLE FOR REPLACING AND MAINTAINING TRAFFIC SIGNS AND PAVEMENT MARKINGS, INCLUDING CENTERLINES, BARRIER LINES, LANE LINES, RAISED PAVEMENT
- 18. CONTRACTOR IS REQUIRED TO PREPARE AND IMPLEMENT AN APPROVED STORM WATER POLLUTION PREVENTION (SWPP) PLAN IN ACCORDANCE WITH STATE AND LOCAL REQUIREMENTS AND CONTRACT DOCUMENTS, CONTRACTOR SHALL KEEP ALL DEBRIS & SPOIL OUT OF DRAINS, CULVERTS, AND DROP INLETS AND ENSURE THAT THEY DO NOT BECOME CLOGGED AS A RESULT OF CONSTRUCTION ACTIVITIES.
- 19. ANY DISCREPANCIES FROM WHAT IS SHOWN ON THE PLANS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER.
- 26. THE CONDUIT, FITTINGS, CONDUIT BODIES AND ACCESSORIES SHALL BE INSPECTED UPON DELIVERY AND DURING THE PROGRESS OF THE WORK, ANY MATERIAL FOUND TO BE DEFECTIVE WILL BE REJECTED BY THE OWNERS REPRESENTATIVE AND THE CONTRACTOR SHALL REMOVE SUCH DEFECTIVE MATERIAL FROM THE SITE OF THE WORK
- 21. CONTRACTOR SHALL COORDINATE AND VERIFY ANY LITILITY ABANDONMENT WITH THE UTILITY COMPANY, NO FACILITY MAY BE CONSIDERED ABANDONED WITHOUT WRITTEN CONSENT FROM UTILITY
- 22. CONTRACTOR IS TO PLUG ALL INSTALLED DUCTS.
- 23. THE CONSTRUCTION CONTRACTOR SHALL PLACE UTILITY LOCATION TAPE OVER ALL EXPOSED CONDUIT.
- 24. ALL PROPOSED BENDS SHALL BE GRADUAL SWEEPS WITH A MINIMUM 20-FOOT RADIUS, UNLESS NOTED ON THE PLANS.
- 25. CONTRACTOR SHALL CONSTRUCT HORIZONTAL DIRECTIONAL DRILL IN ACCORDANCE WITH ASTM F 1982 "STANDARD GUIDE FOR USE OF MAXI-HORIZONTAL DIRECTIONAL DRILLING FOR PLACEMENT OF POLYETHYLENE PIPE OR CONDUIT UNDER OBSTACLES INCLUDING RIVER
- 26. CONTRACTOR TO PROVIDE AND PLACE 2500LB MULE TAPE IN EACH INSTALLED DUCT.
- 27. ALL PROPOSED TELECOM FACILITES SHOULD BE INSTALLED AT MIN DEPTH IS 48° FOR LONGITUDINAL LINES AND MIN DEPTH IS 60° FROM LOWEST POINT OF GRADE FOR CROSSINGS.
- 28. USE OF WATER AND OTHER FLUIDS IN CONNECTION WITH BORING OPERATIONS WILL BE PERMITTED ONLY IN SUFFICIENT QUANTITY TO LUBRICATE BORING BIT AND PROVIDE A SMOOTH FLOW OF CUTTINGS. JETTING WILL NOT BE PERMITTED.
- 29. OPERATIONS ON THE ROADWAY SHALL BE PERFORMED IN SUCH A MANNER THAT OPERATING EQUIPMENT AND EXCAVATED MATERIAL ARE KEPT OFF THE PAVEMENT AT ALL TIMES.
- 30. BARRICADES AND WARNING SIGNS, AND FLAGMEN WHEN SHALL BE PROVIDED BY THE CONTRACTOR OR OWNER. ONE-HALF THE TRAVELED PORTION OF THE ROADWAY MUST BE OPEN TO TRAFFIC AT ALL

TIMES. CONTRACTOR TO REFER TO COMPLY WITH TEXAS MUTCO BARRICADE AND CONSTRUCTION

- 31. WORK PERFORMED ON RAILROAD RIGHT-OF-WAY IS SUBJECT TO CONCURRENCE OF THE RAILROAD COMPANY, WORK PERFORMED WITHIN WATERWAYS, SUCH AS RIVERS, CREEKS, BAYOUS, AND DRAINAGE DITCHES IS SUBJECT TO THE RULES & REQUIREMENTS OF THAT APPROPRIATE GOVERNMENTAL AGENCY.
- 32. APPROPRIATE EASEMENT/APPROVAL MUST BE SECURED FOR PROJECT AREAS OUTSIDE THE RIGHT-OF-WAY, NO WORK SHALL BE PERFORMED ON PRIVATE PROPERTY UNTIL RIGHT OF ENTRY AND EASEMENT HAS BEEN OBTAINED.
- 33. CONTRACTOR TO CONTACT TELECOM OWNER A MINIMUM OF 2-WEEKS PRIOR TO CONSTRUCTION.
- ALL FIBER OPTIC CABLE AND COOPER BASED FACILITIES WILL BE SPLICED BY THE UTILITY OWNER, CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING PERTINENT UTILITIES OF CONDUIT STRUCTURE COMPLETION FOR INSPECTION APPROVAL
- 35. UTILITY CONTRACTOR TO CONTACT UTILITY OWNER OF 48 HOURS PRIOR TO CONNECTION TO EXISTING MANHOLE OR DUCTS TO COORDINATE ON-SITE INSPECTION BY UTILITY PERSONNEL.
- 36. CONTRACTOR TO PROVIDE OVERHEAD POLE SUPPORT WHENEVER CONSTRUCTION EXCAVATION IS WITHIN 5' OF AN OVERHEAD POLE.
- 37. CONTRACTOR MUST OBTAIN PERMISSION FROM AFFECTED PROPERTY OWNER FROM ANY CONSTRUCTION RELATED ACTIVITIES THAT MAY ENCROACH ON ADJACENT PRIVATE PROPERTY.
- CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING PERTINENT UTILITIES OF CONDUIT STRUCTURE COMPLETION FOR INSPECTION APPROVAL.
- 39. ONLY 1 STUB RISER CONDUIT FOR EACH TELECOMMUNICATION PROVIDER AT ALL POLE LOCATIONS SHOWN ON PLANS.
- ALL VAULTS, MANHOLES, AND HANDHOLES TO BE PLACED AT FINAL GRADES. TEMPORARY FILLS OR CUTS NEED TO BE USED AT EACH SITE SO THAT THE MINIMUM OF 2" WIDE LEVELING WORKING SPACE EXISTS AROUND THE PERIMETER OF EACH OPENING.



**SPECTRUM** 3993810 RDOF\_TX\_CLUSTER\_2\_TBD\_WI34E


> UPSHUR COUNTY GENERAL NOTES

DESIGN BY: LJAT CHECKED BY DRAWN BY: APPROVED BY PROJECT NO2505-25-N037 SHEET: 3 OF 29 DATE: 4/1/2025 PAGE


LOCATION OF ENETHING UNDERGRADING AND OVEROEA UTILITIES AND AVENDMENT LOCATIONS ONLY. THE CONTRACTOR SHALL DEFENSE THE EXACTLOCATION OF ALL EXISTING UTILITIES PRIOR TO DECEMBER OF MORE AND SHALL IN THE STATE OF TH

new what's below.


Call before you do.




04/0/2025




04/07/2023




04/00/2025 135.32 PM




04/01/2025




135.23





04/01/2023





NOTE: CONTRACTOR IS RESPONSIBLE TO MAINTAIN TRAFFIC CONTROL AS SET FORTH IN THE TEXAS MARIAL ON UNFORM TRAFFIC CONTROL DEVICES FOR STREET AND HIGHRAYS.

MOTE:
UNDERGROUND UTENIES HAVE SEEN PLOTTED FROM
AVALABLE RECORDS AND FIELD DISLETYATIONS BUT ARE
MOT RECESSARELY FURLET, IT IS THE CONTRACTOR
RESPONDERS INTY OF RELD LOCATE ALL UNDERGROUND
DISTRIBUTIONS AND UTENIES PRIOR TO CONSTRUCTION.
COMPLETE REPAIR OF ANY AND ALL DAMAGES INCLURRED
SKALL GE AT THE EXPENSE OF THE CONTRACTOR.

CAUTIONIU
EXST. BURGD FIBER, TELEPHONE, CATY, GAR, ELECTING,
WATER, BANTARY BEWER & STORM SEVER FACULTIES IN
CONSTRUCTION AREA AND HAVE NOT BEEN FELD LOCATED,
CONTRACTOR TO VERETY EXACT LOCATION AND DEPTH
PRIOR TO ANY DISCENS ANDROR BORDIG.

NOTE; THE RICHT-OF-MAY JROW) SHOWN ON THESE PLANS II BARED ON PURLICLY AVALABLE BEFORMATION AND IS NOT EXACT. IT IS THE CONTRACTOR'S REPROMEDIED FOR BEHAVIORY DIRTH ALL FACILITIES ARE CONSTRUCTED WITHOUT THE ROOM OF MY A CONSTRUCTOR SHOULD SHOW OF MY A CONSTRUCTOR SHALL NOTIFE DEPOSIT OF THE ROOM OF MY ARE AND THE OWNERS AND THE OWNER CONCERNS REGARDING THE ROW,




Spectrum

**LJA TELECOM** 


SPECTRUM 3993810 RDOF\_TX\_CLUSTER\_2\_TBD\_WI34E

UPSHUR COUNTY OSP PLAN


		CHECKED BY:	MA
		APPROVED BY:	KB
	PROJECT NO2605-25-N037	SHEET: 10 OF	29
_	DATE: 4/1/2025	PAGE: 10	




04/01/2025 1-35-32 PM




135.32 74




04/01/2025







4/01/2025




135 P







١.




64/01/2025 135:32 PM







04/01/2025 + 14, 12 PM




04/04/2023 135:32 PV




15.32 PV




04/07/2023







THE PERSON OF PERSONS ASSESSMENT ASSESSMENT



135.32 Pu



04/01/2025



04/07/2023